

HP Fax K1220xi

Log for

Aug 18 2004 8:45am

---

Last Transaction

<u>Date</u>	<u>Time</u>	<u>Type</u>	<u>Identification</u>	<u>Duration</u>	<u>Pages</u>	<u>Result</u>
Aug 18	8:43am	Fax Sent	78177377814	1:29	4	OK

---

FAX COVER PAGE

DEFENSE SUPPLY CENTER COLUMBUS  
POST OFFICE BOX 3990  
COLUMBUS, OHIO 43216-5000

NUMBER OF PAGES INCLUDING HEADER PAGES 4 DATE AUG 16 2004

TO: \_\_\_\_\_

COMPANY: \_\_\_\_\_

FAX NUMBER: \_\_\_\_\_

BUYER: \_\_\_\_\_

PHONE: 614-692 \_\_\_\_\_

THIS IS YOUR OFFICIAL COPY OF THE CONTRACT. IF YOU NEED A  
HARD COPY CONTACT TOM MAURER AT 614-692-8622

CONTRACT NUMBER: ~~SP0711-04-M~~ F42600026-0007 UB2C

## 3

Designed using Perform Pro, WHS/DIOR, Jun 94

1944

1945

NOV 18 1944

NOV 18 1944

## CONTINUATION SHEET

REFERENCE NO. OF DOCUMENT BEING CONTINUED

PAGE OF

F42600-02G-0007

213

PAGES

NAME OF OFFEROR OR CONTRACTOR

ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	PR YPC04219000396				
	NSN 4730-01-122-1637				
	ITEM DESCRIPTION: POTENTIALLY HAZARDOUS, SEE REPRESENTATION				
	TEE, TUBE. ALUMINUM ALLOY, 1ST END, THD MALE, U/W 3/8 IN. O.D. TUBE, 2ND END, THD MALE, U/W 1/4 IN. O.D. TUBE, 3RD END, THD MALE BULKHEAD, U/W 3/8 IN. O.D. TUBE, END ITEM F-16 AIRCRAFT.				
	CLASS 3 THREADS APPLY TO THIS NSN.				
	CRITICAL APPLICATION ITEM				
* 0001	EATON AEROQUIP INC ENGINEERED (00624)	P/N	1-02154D4		
	FABER ENTERPRISES INC. (14397)	P/N	3151D4		
	FABER ENTERPRISES INC. (14397)	P/N	31512D4		
	LOCKHEED MARTIN CORPORATION (81755)	P/N	C2754D4		
	LOCKHEED MARTIN CORPORATION (81755)	P/N	C275404		
	PRLI 000100	1	EA	575 <sup>00</sup>	575 <sup>00</sup>
	QTY VARIANCE: PLUS % MINUS %				
	INSP/ACCEPT POINT:				
	PREP FOR DELIVERY:				
	For all shipments of packaged materiel to the government, which includes either depot (DLA-direct) or DVD (customer-direct) shipments, both DoD linear and 2-D bar code markings are required on military shipping labels in accordance with MIL-STD-129, revision P, dated December 15, 2002. 2-D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. MSL label stock quality shall meet MIL-PRF-61002. MSL bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2-D and/or linear bar codes. All DVD shipments shall meet				
	CONTINUED ON NEXT PAGE				

## CONTINUATION SHEET

REFERENCE NO. OF DOCUMENT BEING CONTINUED

PAGE OF

F42600-02-G-0007

3 1 3

PAGES

NAME OF OFFEROR OR CONTRACTOR

ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	PR YPC04219000396 PRLI 000100 CONT'D  additional linear bar coding requirements in DLAD 52.211-9008. When the contract/order omits any data element required to be bar-coded, the field shall be zero-filled. These requirements do not apply to delivery orders when the basic contract has not been modified to require MIL-STD-129P. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.  DELIVER FOB: BY:  FREIGHT ADDRESS:  FB4887 FB4887 56 SUPS LGS BLDG 945 CML PHN 623 856 6036 14171 W STARFIGHTER ST LUKE AFB AZ 85309-1869  M/F: (TCN) FB488742030038 XXX RDD N PROJ TP 1 SUP ADD Y1A226 SIG A  FOR GOVERNMENT USE ONLY: IPD 02 DIC AOA DIST 01 ADV FC 6C  END OF PR				